

Figure 1

9 0

6 7 Data

S

	-			
က	0			
	6			
	8		Data	
	7			
	9			
	2	gth		
	4			
	က	Leng		
	7			
	-			
0	0			
	6			
	œ			
	7			
	9			
	2			
	4			
	က	е		
	7	ub-Type		
	-	Sub.		
_	0			
	ი			
	œ			
	7			
	ဖ			
	ა			
	4	Туре		
	က			
	7			
	_			
0	0			

Figure 2A

8

3 4

dead of the state of

_			
-			
₀ م		:	
6			
∞			
~			
9			
သ			
4	igth	,	
3	Length		
2			
-			
0 2			
6			
8			
7		SPI	Authenticator
9			
5		S	enti
4			Aut
က	e)		
2	Sub-Type		
-	-qns		
₩0			
6			
ω			
7			
9			
5			
4	Туре		
က			
2			
		1	l


Figure 2C

Г				
-				
0 3				
6				
ھ				
7				
2 3 4 5 6				
5				
4	-ength			
က	Ler			
7				
-				
0 0				
စ				
∞				
7				
ဖ		7	2	Info
2 3 4 5 6 7 8 9 0		SP11	SP12	Security Info
4				Seci
ო	4			
2	ype			
	Sub-Type			
-0	ัง			
6				
89				
7				
9				
5				
4	e e			
က	Туре			
2				
-				
0.0				

Figure 2D

	ı	ı
	-	
ო	0	
	တ	
	∞	:
	~	Al-Info .
	ဖ	¥
	S.	
	4	
	3	
	7	
	-	
7	0	a)
	6	ub-Type
	8	-qng
	7	
	9	
	2	
	4	
	3	
	7	ų
		engt
	0	ا ئـ
	ი	
	œ	
	7	
	9	
	လ	
	4	be
	ო	Ty
	7	
	-	
_	_	į .

Figure 2E



1649 (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644) (1644)